



# PRICE LIST

EXPORT **2021**

VALID FROM 01.06.2021





<b>Wall-mounted air conditioners</b>	<b>05</b>
wall-mounted Fly	06
wall-mounted One	07
wall-mounted Care	08
wall-mounted Pro+	09
wall-mounted Geo	09
wall-mounted Eco	10
<b>Multi Split systems</b>	<b>11</b>
indoor units	12
outdoor units	15
<b>Commercial air conditioners</b>	<b>16</b>
super Slim cassette air conditioners	17
compact cassette air conditioners	18
floor/ceiling air conditioners	19
floor standing air conditioners	20
slim duct air conditioners	21
condensing units	22
<b>Mobile air conditioners</b>	<b>24</b>
mobile KPPH	25
mobile KPPD	25
<b>Air curtains</b>	<b>26</b>
air curtains Silver	27
air curtains Gold	27
air curtains Platinum New	27
<b>Heat pumps</b>	<b>28</b>
split – indoor unit	29
split – indoor unit with DHW tank	29
split – outdoor unit 6 kW	30
split – outdoor unit 8-16 kW	30
monoblock 6 kW	31
monoblock 8-16 kW	31
monoblock 22-30 kW	32
heat pumps accessories	32
<b>Air-handling units</b>	<b>33</b>
air-handling units 150	34
air-handling units 270-360	34
air-handling units 460	35
air-handling units accessories	35
<b>Accessories</b>	<b>36</b>
controllers	37
WiFi modules	37
filters	37
additional accessories	37

# new features



## UV LAMP

UV lamp is one of the most effective ways to remove bacteria, viruses, mold and fungi from the air. The entire process takes place through the emission of UV rays, which effectively penetrate the cell walls of microorganisms, destroy their DNA and prevent their multiplication.



## 56°C STERILIZATION FUNCTION

This modern function allows effective elimination of microorganisms present in the air-conditioned room. The air is heated in the indoor air exchanger to a temperature of 56°C, which destroys the organic DNA and RNA of bacteria and viruses, including SARS-CoV-2.



## AIR IONIZATION

The ions emitted by the air conditioner break down dust mite particles, mold, bacteria, and viruses, eliminating them from the environment. An additional effect of the air conditioner is moistening the air, which has a positive impact on the skin and gives a pleasant feeling of freshness in the air-conditioned room.



## 3D AIR FLOW

The automatically controlled horizontal and vertical louvers of the air conditioner ensure optimum air circulation and an even temperature distribution in the room.



## COLD CATALYST FILTER

Using specialized filtration, the air conditioner not only cools and heats, but also effectively purifies the air. The cold-CATALYST filter removes chemicals such as carbon monoxide, hydrogen sulfide, ammonia, benzene and formaldehyde.



## BIO HEPA FILTER

The air purification function is supported by a Bio HEPA filter that effectively traps 99% of dust particles, dust and bacteria with a size of 0,3 µm and up to 95% of particles from 0,1 to 0,3 µm, including fungal cells and some viruses.



## DOUBLE FILTRATION

The dual filtration system of the air conditioner effectively traps pollen and dust, absorbs dust mites and removes unwanted odours from the air.



## COMPRESSOR AND CONDENSATE TRAY HEATERS

The compressor heater prevents oil absorption of the refrigerant that may occur when the temperature drops. The drip tray heater assists the air conditioner in heating mode by preventing ice build-up, improving efficiency, and minimizing the risk of fan failure.

---

**wall-mounted**  
air conditioners



**the perfect combination**  
of performance and modern design






Wall-mounted air conditioners **Fly** \*



MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KWX-09HRBI	KWX-09HRBO	2,6(0,9÷3,4)	2,9(0,8÷3,4)	A++/A+	<b>705</b>
KWX-12HRBI	KWX-12HRBO	3,5(1,1÷4,2)	3,8(1,1÷4,2)	A++/A+	<b>755</b>
KWX-18HRBI	KWX-18HRBO	5,3(1,8÷6,1)	5,6(1,4÷6,7)	A++/A+	<b>1 200</b>
KWX-24HRBI	KWX-24HRBO	7,0(2,1÷7,9)	7,3(1,6÷8,8)	A++/A+	<b>1 550</b>

The set includes RG66A2 wireless controller 

\* 2020 models available while stocks last



**NEW 2021**

Wall-mounted air conditioners **Fly**



MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KWX-09HRGI	KWX-09HRGO	2,6(0,9÷3,4)	2,9(0,8÷3,4)	A++/A+	<b>730</b>
KWX-12HRGI	KWX-12HRGO	3,5(1,1÷4,2)	3,8(1,1÷4,2)	A++/A+	<b>785</b>
KWX-18HRGI	KWX-18HRGO	5,3(2,9÷5,8)	5,6(3,1÷5,8)	A++/A+	<b>1 250</b>
KWX-24HRGI	KWX-24HRGO	7,0(2,1÷7,9)	7,3(1,6÷7,9)	A++/A+	<b>1 600</b>

The set includes RG66A1 wireless controller 



## Wall-mounted air conditioners **One** \*

MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KRX-09AEXI	KRX-09AEXO	2,6(1,2÷3,4)	2,9(0,8÷3,4)	A++/A+	<b>770</b>
KRX-12AEXI	KRX-12AEXO	3,5(1,4÷4,6)	4,1(0,9÷5,1)	A++/A+	<b>840</b>
KRX-18AEXI	KRX-18AEXO	5,3(2,0÷6,2)	5,7(1,3÷7,0)	A++/A+	<b>1 285</b>
KRX-24AEXI	KRX-24AEXO	7,2(2,1÷8,4)	7,6(2,1÷9,4)	A++/A+	<b>1 690</b>

The set includes RG66A1 wireless controller 

\* 2020 models available while stocks last





## NEW 2021



## Wall-mounted air conditioners **One**

MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KRX-09AEGI	KRX-09AEGO	2,6(1,2÷3,4)	2,9(0,8÷3,4)	A++/A+	<b>800</b>
KRX-12AEGI	KRX-12AEGO	3,5(1,4÷4,6)	4,1(0,9÷5,1)	A++/A+	<b>870</b>
KRX-18AEGI	KRX-18AEGO	5,3(2,0÷6,2)	5,7(1,3÷7,0)	A++/A+	<b>1 335</b>
KRX-24AEGI	KRX-24AEGO	7,2(2,1÷8,4)	7,6(2,1÷9,4)	A++/A+	<b>1 755</b>


The set includes RG66A wireless controller 




Wall-mounted air conditioners **Care** \*



MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KWC-12CRFI	KWC-12CRFO	3,5 (1,4÷4,3)	3,8 (1,1÷4,4)	A++/A+	<b>1 065</b>

The set includes R10A1 wireless controller 

\* 2020 models available while stocks last




**NEW** 2021

Wall-mounted  
air conditioners **Care**



MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KWC-12CGI	KWC-12CGO	3,5(1,4÷4,3)	3,8(1,1÷4,4)	A++/A+	<b>1 120</b>
KWC-18CGI	KWC-18CGO	5,3(3,4÷5,9)	5,6(3,1÷5,8)	A++/A+	<b>1 650</b>

The set includes R10A1 wireless controller 





## NEW 2021

### Wall-mounted air conditioners **Pro+**



MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KSN-12PRGI	KSN-12PRGO	3,5(0,9÷4,7)	3,5(1,0÷6,5)	A++/A++	<b>1 500</b>

The set includes RG66A wireless controller



## NEW 2021

### Wall-mounted air conditioners **Geo**



MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KGE-12GRGI	KGE-12GRGO	3,5(1,4÷4,3)	3,8(1,1÷4,4)	A+++/A++	<b>1 050</b>
KGE-18GRGI	KGE-18GRGO	5,3(3,4÷5,9)	5,6(3,1÷5,8)	A++/A+	<b>1 560</b>

The set includes RG66A wireless controller





Wall-mounted air conditioners **Eco** \*



MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KEX-09KTBI	KEX-09KTBO	2,6(0,9÷3,4)	2,9(0,8÷3,4)	A++/A+	<b>655</b>
KEX-12KTCI	KEX-12KTCO	3,5(1,1÷4,2)	3,8(1,1÷4,2)	A++/A+	<b>690</b>
KEX-18KTBI	KEX-18KTBO	5,3(1,8÷6,1)	5,6(1,4÷6,7)	A++/A+	<b>1 115</b>
KEX-24KTBI	KEX-24KTBO	7,0(2,1÷7,9)	7,3(1,6÷8,8)	A++/A+	<b>1 480</b>

The set includes RG66A2 wireless controller 

\* 2020 models available while stocks last



**NEW 2021**



Wall-mounted air conditioners **Eco**

MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KEX-09KTGI	KEX-09KTGO	2,6(0,9÷3,4)	2,9(0,8÷3,4)	A++/A+	<b>680</b>
KEX-12KTGI	KEX-12KTGO	3,5(1,1÷4,2)	3,8(1,1÷4,2)	A++/A+	<b>720</b>
KEX-18KTGI	KEX-18KTGO	5,3(2,9÷5,8)	5,6(3,1÷5,8)	A++/A+	<b>1 160</b>
KEX-24KTGI	KEX-24KTGO	7,0(2,1÷7,9)	7,3(1,6÷7,9)	A++/A+	<b>1 540</b>

The set includes RG66A1 wireless controller 

---

# Multi Split systems




exceptional comfort  
**and flexibility of solutions**



indoor units - **wall-mounted** \*



MODEL	CAPACITY		NET PRICE EUR
	COOLING [kW]	HEATING [kW]	
KWX-09HRBI	2,6	2,9	<b>310</b>
KWX-12HRBI	3,5	3,8	<b>340</b>
KWX-18HRBI	5,3	5,6	<b>450</b>
KWX-24HRBI	7,0	7,3	<b>560</b>

The set includes RG66A2 wireless controller 

\* 2020 models available while stocks last




**NEW 2021**

indoor units - **wall-mounted**




MODEL	CAPACITY		NET PRICE EUR
	COOLING [kW]	HEATING [kW]	
KWX-09HRGI	2,6	2,9	<b>320</b>
KWX-12HRGI	3,5	3,8	<b>350</b>
KWX-18HRGI	5,3	5,6	<b>470</b>
KWX-24HRGI	7,0	7,3	<b>585</b>

The set includes RG66A1 wireless controller 

indoor units - **cassette** \*A<sup>+</sup>

R32

MODEL	CAPACITY		NET PRICE EUR
	COOLING [kW]	HEATING [kW]	
KCA3I-09HRB32	2,6	2,8	<b>500</b>
KCA3U-12HRB32X	3,5	4,4	<b>620</b>
KCA3U-18HRB32X	5,3	5,4	<b>750</b>


The set includes RG66A1 wireless controller 

\* 2020 models available while stocks last

**NEW** 2021indoor units - **cassette**A<sup>+</sup>

R32

MODEL	CAPACITY		NET PRICE EUR
	COOLING [kW]	HEATING [kW]	
KCA3I-09HRG32X	2,6	2,8	<b>625</b>
KCA3U-12HRG32X	3,5	3,8	<b>690</b>
KCA3U-18HRG32X	5,3	5,6	<b>820</b>

The set includes RG10A1 wireless controller 



indoor units - **ducted** \*

A+ R32

MODEL	CAPACITY		NET PRICE EUR
	COOLING [kW]	HEATING [kW]	
KTI-18HWB32X	5,3	5,6	<b>780</b>

The set includes KJR-120X2 wired controller



\* 2020 models available while stocks last



**NEW** 2021

indoor units - **ducted**

A+ R32

MODEL	CAPACITY		NET PRICE EUR
	COOLING [kW]	HEATING [kW]	
KTI-18HWG32X	5,3	5,6	<b>815</b>

The set includes KJR-120X2 wired controller





## outdoor units \*

A+

R32



MODEL	CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
	COOLING [kW]	HEATING [kW]		
K20C-18HFN32	5,3	5,6	A+/A	<b>1 145</b>
K30E-27HFN32	7,9	8,2	A++/A+	<b>1 710</b>
K40E-28HFN32	8,2	8,8	A++/A	<b>2 355</b>
K40B-36HFN32	10,6	10,6	A++/A	<b>2 725</b>
K50D-42HFN32	12,4	12,4	A++/A	<b>2 975</b>

\* 2020 models available while stocks last



## NEW 2021

## outdoor units

A+


R32



MODEL	CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
	COOLING [kW]	HEATING [kW]		
K20C-18HFN32H	5,3	5,6	A+/A	<b>1 190</b>
K30E-27HFN32H	7,9	8,2	A++/A+	<b>1 780</b>
K40E-28HFN32H	8,2	8,8	A++/A	<b>2 450</b>
K40B-36HFN32H	10,6	10,6	A++/A	<b>2 835</b>
K50D-42HFN32H	12,4	12,4	A++/A	<b>3 095</b>

---

# Commercial air conditioners



**solutions for large rooms**  
requiring efficient air conditioning



## Super Slim cassette air conditioners \*

A+

R32

MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KCD-24HRB32	KOCA30U-24HFN32	7,0(3,2÷8,2)	7,6(2,4÷8,6)	A++/A+	<b>2 355</b>
KCD-36HRB32	KOD30U-36HFJ32	10,6(4,0÷12,0)	11,1(2,9÷13,5)	A++/A+	<b>3 760</b>
KCD-36HRB32	KOD30U-36HFN32	10,6(4,0÷12,0)	11,1(2,9÷14,1)	A++/A+	<b>3 820</b>
KCD-48HRB32	KOE30U-48HFN32	14,0(4,8÷14,6)	16,1(3,9÷16,8)	A++/A+	<b>4 225</b>
KCD-55HRB32	KOE30U-55HFN32	15,5(5,3÷16,7)	18,2(4,4÷19,3)	A++/A+	<b>4 600</b>

The set includes RG66A1 wireless controller  for KCD-xxHRF32 wireless controller – RG57 

\* 2020 models available while stocks last



## NEW 2021


## Super Slim cassette air conditioners

A+

R32



MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KCD-24HRG32X	KOX430-24HFN32X	7,0(3,3÷7,9)	7,6(2,8÷8,9)	A++/A+	<b>2 450</b>
KCD-36HRG32X	KOD30U-36HFJ32X	10,6(2,7÷11,4)	11,1(2,8÷12,0)	A++/A+	<b>3 900</b>
KCD-36HRG32X	KOD30U-36HFN32X	10,6(2,7÷11,4)	11,1(2,8÷12,7)	A++/A+	<b>3 970</b>
KCD-48HRG32X	KOE30U-48HFN32X	14,1(3,5÷15,8)	16,1(4,1÷17,3)	A++/A+	<b>4 395</b>
KCD-55HRG32X	KOE30U-55HFN32X	15,2(4,1÷16,7)	18,2(4,4÷19,9)	A++/A+	<b>4 785</b>


The set includes RG10A1 wireless controller 



A<sup>+</sup> R32

**Compact** cassette air conditioners \*

MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KCA3U-12HRB32X	KOB30-12HFN32X	3,5(1,52÷5,28)	4,4(1,03÷5,57)	A++/A++	<b>1 585</b>
KCA3U-18HRB32X	KOB30-18HFN32X	5,3(2,9÷5,74)	5,4(2,37÷6,10)	A++/A+	<b>1 880</b>

The set includes RG66A1 wireless controller   
 \* 2020 models available while stocks last




**NEW 2021**

A<sup>+</sup> R32 

**Compact** cassette air conditioners

MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KCA3U-12HRG32X	KOX230-12HFN32X	3,5(0,8÷4,1)	3,8(0,5÷4,3)	A++/A+	<b>1 650</b>
KCA3U-18HRG32X	KOX330-18HFN32X	5,3(2,9÷5,6)	5,6(2,4÷6,1)	A++/A+	<b>1 955</b>

The set includes RG10A1 wireless controller 



## Floor/ceiling air conditioners \*

A<sup>+</sup>

R32

MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KUE-18HRB32X	KOB30-18HFN32X	5,3(2,7÷5,6)	5,6(2,4÷6,3)	A++/A+	<b>1 765</b>
KUE-24HRB32	KOCA30U-24HFN32	7,0(3,2÷8,3)	7,6(2,7÷8,7)	A++/A+	<b>2 250</b>
KUE-36HRB32	KOD30U-36HFJ32	10,6(3,9÷12,0)	11,1(2,8÷13,5)	A++/A+	<b>3 750</b>
KUE-36HRB32	KOD30U-36HFN32	10,6(3,9÷12,0)	11,1(2,8÷14,0)	A++/A+	<b>3 810</b>
KUE-48HRB32	KOE30U-48HFN32	14,1(5,0÷15,1)	16,1(3,8÷18,1)	A++/A+	<b>4 500</b>
KUE-55HRB32	KOE30U-55HFN32	15,8(5,3÷17,0)	18,2(4,4÷19,6)	A++/A+	<b>4 550</b>

The set includes RG66A1 wireless controller  for KUE-xxHRF32 wireless controller – RG57 

\* 2020 models available while stocks last



## NEW 2021


A<sup>+</sup>

R32



## Floor/ceiling air conditioners

MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KUE-18HRG32X	KOX330-18HFN32X	5,3(2,7÷5,9)	5,6(2,4÷6,3)	A++/A+	<b>1 835</b>
KUE-24HRG32X	KOX430-24HFN32X	7,0(3,2÷7,8)	7,6(2,7÷8,3)	A++/A+	<b>2 340</b>
KUE-36HRG32X	KOD30U-36HFJ32X	10,6(2,7÷11,4)	11,7(2,8÷12,8)	A++/A+	<b>3 900</b>
KUE-36HRG32X	KOD30U-36HFN32X	10,6(2,7÷11,8)	11,7(2,8~12,8)	A++/A+	<b>3 965</b>
KUE-48HRG32X	KOE30U-48HFN32X	14,1(3,5÷15,2)	16,1(4,1÷17,0)	A++/A+	<b>4 680</b>
KUE-55HRG32X	KOE30U-55HFN32X	15,8(4,1÷16,7)	18,2(4,4÷19,6)	A++/A+	<b>4 735</b>


The set includes RG10A1 wireless controller 



**A+** **R32**

**Floor standing** air conditioners

MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KFS-50HRFI	KFS-50HRFO	14,1(5,0÷15,5)	16,1(4,4÷18,5)	A++/A+	<b>4 350</b>

The set includes RG66A1(B2) wireless controller 





## Slim duct air conditioners \*

A+

R32

MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KTI-18HWP32X	KOB30-18HFN32X	5,3(2,6÷5,7)	5,6(2,2÷6,2)	A++/A+	<b>1 800</b>
KTI-24HWP32	KOCA30U-24HFN32	7,0(3,3÷8,2)	7,6(2,7÷8,7)	A++/A+	<b>2 300</b>
KTI-36HWP32	KOD30U-36HFJ32	10,6(4,0÷12,0)	11,1(2,8÷13,2)	A++/A+	<b>3 800</b>
KTI-36HWP32	KOD30U-36HFN32	10,6(4,0÷12,0)	11,1(2,8÷13,2)	A++/A+	<b>3 860</b>
KTI-48HWP32	KOE30U-48HFN32	14,1(4,3÷15,2)	16,1(3,7÷18,0)	A++/A+	<b>4 440</b>
KTI-55HWP32	KOE30U-55HFN32	15,2(5,9÷17,3)	18,2(4,7÷20,5)	A++/A+	<b>4 700</b>

The set includes KJR-120X2 wired controller



for KTI-xxxHWF32 wired controller – KJR12B



\* 2020 models available while stocks last



## NEW 2021

A+

R32



## Slim duct air conditioners

MODEL		CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
INDOOR UNIT	OUTDOOR UNIT	COOLING [kW]	HEATING [kW]		
KTI-18HWG32X	KOX330-18HFN32X	5,3(2,6÷5,9)	5,6(2,2÷6,2)	A++/A+	<b>1 870</b>
KTI-24HWG32X	KOX430-24HFN32X	7,0(3,3÷8,2)	7,6(2,8÷8,5)	A++/A+	<b>2 390</b>
KTI-36HWG32X	KOD30U-36HFJ32X	10,6(2,8÷11,1)	11,7(2,8÷12,8)	A++/A+	<b>3 950</b>
KTI-36HWG32X	KOD30U-36HFN32X	10,6(2,7÷11,8)	11,7(2,8÷12,8)	A++/A+	<b>4 015</b>
KTI-48HWG32X	KOE30U-48HFN32X	14,1(3,5÷15,5)	16,1(4,1÷18,2)	A++/A+	<b>4 615</b>
KTI-55HWG32X	KOE30U-55HFN32X	15,2(4,1÷17,3)	18,2(4,4÷20,5)	A++/A+	<b>4 890</b>

The set includes KJR-120X2 wired controller






A+ R32

**Condensing units \***

MODEL	CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
	COOLING [kW]	HEATING [kW]		
KOB30-12HFN32X	3,5(1,5÷5,3)	4,4(1,0÷5,6)	A++/A++	<b>1 605</b>
KOB30-18HFN32X	5,3(2,7÷5,6)	5,6(2,4÷6,3)	A++/A+	<b>1 820</b>
KOCA30U-24HFN32	7,0(3,2÷8,3)	7,6(2,7÷8,7)	A++/A+	<b>2 250</b>
KOD30U-36HFJ32	10,6(3,9÷12,0)	11,1(2,8÷13,5)	A++/A+	<b>2 900</b>
KOD30U-36HFN32	10,6(3,9÷12,0)	11,1(2,8÷14,0)	A++/A+	<b>2 970</b>

The set for the KOB aggregates includes KMS-8140 AHU kit  for the other units - KMS-8243 AHU kit 

\* 2020 models available while stocks last




**NEW 2021**

A+ R32 

**Condensing units**

MODEL	CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
	COOLING [kW]	HEATING [kW]		
KOX230-12HFN32X	3,5(0,8÷4,1)	3,8(0,5÷4,3)	A++/A+	<b>1 670</b>
KOX330-18HFN32X	5,3(2,6÷5,9)	5,6(2,2÷6,2)	A++/A+	<b>1 895</b>
KOX430-24HFN32X	7,0(3,3÷8,2)	7,6(2,8÷8,5)	A++/A+	<b>2 340</b>
KOD30U-36HFJ32X	10,6(2,8÷11,1)	11,7(2,8÷12,8)	A++/A+	<b>3 015</b>
KOD30U-36HFN32X	10,6(2,7÷11,8)	11,7(2,8÷12,8)	A++/A+	<b>3 090</b>

The set includes KMS-8140 AHU kit 



## Condensing units \*

A+

R32

MODEL	CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
	COOLING [kW]	HEATING [kW]		
KOE30U-48HFN32	14,1(5,0÷15,1)	16,1(3,8÷18,1)	A++/A+	<b>3 315</b>
KOE30U-55HFN32	15,8(5,3÷17,0)	18,2(4,4÷19,6)	A++/A+	<b>3 640</b>

The set includes KMS-8243 AHU kit



\* 2020 models available while stocks last



## NEW 2021

## Condensing units

A+

R32



MODEL	CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
	COOLING [kW]	HEATING [kW]		
KOE30U-48HFN32X	14,1(3,5÷15,5)	15,2(4,1÷17,3)	A++/A+	<b>3 450</b>
KOE30U-55HFN32X	16,1(4,1÷18,2)	18,2(4,4÷20,5)	A++/A+	<b>3 785</b>

The set includes KMS-8140 AHU kit



---

# Mobile

air conditioners



**KPPD**



**KPPH**

**mobility**

and convenience of use

Mobile air conditioners **KPPH** \*

A

R290

MODEL	CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
	COOLING [kW]	HEATING [kW]		
KPPH-09HRN29	2,6	-	A/-	<b>535</b>

The set includes RG51 wireless controller 

\* 2020 models available while stocks last

Mobile air conditioners **KPPD** \*

A+

R290

MODEL	CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
	COOLING [kW]	HEATING [kW]		
KPPD-12HRN29	3,5	2,9	A/A+	<b>740</b>

The set includes RG51 wireless controller 


\* 2020 models available while stocks last

Mobile air conditioners **KPPH****NEW 2021**

A

R290

MODEL	CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
	COOLING [kW]	HEATING [kW]		
KPPH-09HRG29	2,6	-	A/-	<b>520</b>


The set includes RG51 wireless controller 

Mobile air conditioners **KPPD****NEW 2021**

A+

R290

MODEL	CAPACITY		ENERGY CLASS COOLING/HEATING	NET PRICE EUR
	COOLING [kW]	HEATING [kW]		
KPPD-12HRG29	3,5	2,9	A/A+	<b>815</b>

The set includes RG51 wireless controller 

---

# Air curtains




effective **thermal protection** of rooms





## Air curtains **silver**

NET DIMENSIONS W/D/H	MOTOR POWER [W]	NOISE LEVEL		NET DIMENSIONS W/D/H [mm]	NET PRICE EUR
		MIN [db]	MAX [db]		
AG-100H6	180	56	58	1000/180/215	<b>400</b>

The set includes RCAC-1 wireless controller 



## Air curtains **gold**

NET DIMENSIONS W/D/H	MOTOR POWER [W]	NOISE LEVEL		NET DIMENSIONS W/D/H [mm]	NET PRICE EUR
		MIN [db]	MAX [db]		
AU-100H3,5	180	56	57	1000/190/260	<b>435</b>
AU-120H8	200	56	58	1200/190/260	<b>520</b>

The set includes RCAC-1 wireless controller 



## Air curtains **platinum new**

NET DIMENSIONS W/D/H	MOTOR POWER [W]	NOISE LEVEL		NET DIMENSIONS W/D/H [mm]	NET PRICE EUR
		MIN [db]	MAX [db]		
PTN-090H8	260	59	61	900/218/247	<b>520</b>

The set includes RCAC-2 wireless controller 

---

# Heat pumps



**ecological source of energy**  
and thermal comfort all year round

Heat pumps **split: indoor unit**

A++

R32

MODEL	NAMES OF THE COMPATIBLE OUTDOOR UNIT MODELS	LEAVING WATER TEMPERATURE (LWT)			POWER SUPPLY [V/PH/HZ]	NET PRICE EUR
		COOLING [°C]	HEATING [°C]	DHW [°C]		
KMK-60RY1	KHA-06RY1	5+25	25+65	30+60	220+240/1/50	<b>3 450</b>
KMK-100RY1	KHA-08RY1 KHA-10RY1	5+25	25+65	30+60	220+240/1/50	<b>3 600</b>
KMK-160RY3	KHA-12RY3 KHA-14RY3 KHA-16RY3	5+25	25+65	30+60	380+415/3/50	<b>3 950</b>

Heat pumps **split: indoor unit with DHW tank**

A++

R32

MODEL	NAMES OF THE COMPATIBLE OUTDOOR UNIT MODELS	TEMPERATURE RANGE			POWER SUPPLY [V/PH/HZ]	NET PRICE EUR
		HEATING [°C]	COOLING [°C]	DHW [°C]		
KMK-190L-100RY1	KHA-06RY1 KHA-08RY1 KHA-10RY1	25+65	5+25	30+60	220+240/1/50	<b>6 700</b>
KMK-240L-100RY1	KHA-06RY1 KHA-08RY1 KHA-10RY1	25+65	5+25	30+60	220+240/1/50	<b>7 210</b>
KMK-240L-160RY3	KHA-12RY3 KHA-14RY3 KHA-16RY3	25+65	5+25	30+60	380+415/3/50	<b>7 390</b>



A++

R32

Heat pumps **split: outdoor unit 6 kW**

MODEL	NOMINAL CAPACITY		ENERGY CLASS 35°C / 55°C	NET PRICE EUR
	HEATING [kW]	COOLING [kW]		
KHA-06RY1	6,20(2,73÷7,41)	6,55	A+++/A++	<b>3 160</b>



A++

R32

Heat pumps **split: outdoor unit 8-16 kW**


MODEL	NOMINAL CAPACITY		ENERGY CLASS 35°C / 55°C	NET PRICE EUR
	HEATING [kW]	COOLING [kW]		
KHA-08RY1	8,30(3,36÷9,11)	8,40	A+++/A++	<b>3 230</b>
KHA-10RY1	10,00(3,81÷10,30)	10,00	A+++/A++	<b>3 780</b>
KHA-12RY3	12,10(5,58÷14,60)	12,00	A+++/A++	<b>4 600</b>
KHA-14RY3	14,50(5,92÷15,50)	13,50	A+++/A++	<b>4 800</b>
KHA-16RY3	16,00(6,43÷16,80)	14,90	A+++/A++	<b>4 950</b>

Heat pumps **monoblock: 6 kW**

A++

R32

MODEL	NOMINAL CAPACITY		ENERGY CLASS 35°C / 55°C	NET PRICE EUR
	HEATING [kW]	COOLING [kW]		
KHC-06RY1	6,35(2,73÷7,41)	6,50	A+++/A++	<b>5 875</b>

Heat pumps **monoblock: 8-16 kW**

A++

R32

MODEL	NOMINAL CAPACITY		ENERGY CLASS 35°C / 55°C	NET PRICE EUR
	HEATING [kW]	COOLING [kW]		
KHC-08RY1	8,40(3,36÷9,11)	8,30	A+++/A++	<b>6 050</b>
KHC-10RY1	10,00(3,81÷10,30)	9,90	A+++/A++	<b>6 400</b>
KHC-12RY3	12,10(5,58÷14,60)	12,00	A+++/A++	<b>8 750</b>
KHC-14RY3	14,50(5,92÷15,50)	13,50	A+++/A++	<b>9 150</b>
KHC-16RY3	15,90(6,43÷16,80)	14,90	A+++/A++	<b>9 350</b>

Heat pumps **monoblock: 22-30 kW**

A++

R32

MODEL	NOMINAL CAPACITY		ENERGY CLASS 35°C / 55°C	NET PRICE EUR
	HEATING [kW]	COOLING [kW]		
KHC-22RX3	22,00(9,92÷24,93)	23,00	A+++/A++	<b>11 300</b>
KHC-30RX3	30,10(13,85÷31,75)	31,00	A++/A+	<b>12 250</b>

Heat pumps **accessories**

MODEL	NET PRICE EUR
HP MXS – Mixing group (includes a temperature sensor and a temperature sensor adapter)	<b>1 250</b>
HP PUMP – Pump group	<b>800</b>
HP CON – Splitter/connector	<b>520</b>
HP 3WV – 3-way valve for switching between central heating and DHW	<b>345</b>
T1/T5/Tw2/Tbt1/Tbt2 – Additional temperature sensor	<b>35</b>



---

# Air-handling units



**highly efficient** ventilation  
system with heat recovery



Air-handling units: **150**

A

MODEL	MAXIMUM FLOW RATE [m <sup>3</sup> /h]	FILTRATION CLASS	ENERGY CLASS	DIMENSIONS [mm]	NET PRICE EUR
KVX-150 RHQ	150	F7 / M5	A	602x190x975	<b>2 380</b>



Air-handling units: **270-360**

A

MODEL	MAXIMUM FLOW RATE [m <sup>3</sup> /h]	FILTRATION CLASS	ENERGY CLASS	DIMENSIONS [mm]	NET PRICE EUR
KVX-270 RHQ	270	F7 / M5	A	547x580x1041	<b>3 750</b>
KVX-360 RHQ	360	F7 / M5	A	547x630x1041	<b>3 870</b>



## Air-handling units: **460**

**A**

MODEL	MAXIMUM FLOW RATE [m <sup>3</sup> /h]	FILTRATION CLASS	ENERGY CLASS	DIMENSIONS [mm]	NET PRICE EUR
KVX-460 RHQ	460	F7 / M5	A	660x680x980	<b>4 070</b>

## Air-handling units **accessories**

MODEL	NET PRICE EUR
KV-S RHQ – On-wall controller for model 150	<b>135</b>
KV-ES-SU – Humidity sensor	<b>75</b>
KVX WIFI – Wi-Fi module	<b>340</b>
KV-P 270 RHQ – Base for model 270	<b>160</b>
KV-P 360 RHQ – Base for model 360	<b>170</b>
KV-P 460 RHQ – Base for model 460	<b>180</b>
KV-F 150 RHQ – Air filter F7/M5 - for model 150	<b>120</b>
KV-F-270 RHQ – Air filter F7/M5 - for model 270	<b>130</b>
KV-F 360 RHQ – Air filter F7/M5 - for model 360	<b>140</b>
KV-F 460 RHQ – Air filter F7/M5 - for model 460	<b>150</b>

---

# additional accessories



## controllers

MODEL	NET PRICE EUR
RG66 A/A1/A2 – Wireless	<b>135</b>
RG10A1 - Wireless	<b>135</b>
RG57 – Wireless	<b>130</b>
RG51 – Wireless	<b>130</b>
YX1F – Wired	<b>130</b>
CCM – Central	<b>435</b>
KJR12B – Wired	<b>135</b>
KJR90A – Wired	<b>170</b>
KJR120X2 – Wired	<b>185</b>
RCAC-1 – Applies to air curtains Silver and Gold	<b>60</b>
RCAC-2 – Applies to air curtains Platinum New	<b>60</b>

## wi-fi modules

MODEL	NET PRICE EUR
WiFi module for wall-mounted air conditioners	<b>50</b>
WiFi module for commercial air conditioners	<b>130</b>

## filters

MODEL	NET PRICE EUR
Filter with C vitamin	<b>35</b>
Filter with silver ions	<b>35</b>
3M filter	<b>35</b>
Bio HEPA filter	<b>20</b>
Cold catalytic filter	<b>20</b>

## additional accessories


MODEL	NET PRICE EUR
Sequential/switching AC controller SPN-IR – applies to all models of air conditioners (except ducts) and air curtains	<b>370</b>
Sequential/switching AC controller TS4 – applies to all split and multi split models (except wall-mounted models)	<b>370</b>
Set of heaters with thermostat – heating function – applies to all split and multi split models	<b>130</b>
Set of heaters with thermostat – cooling function – applies to all split and multi split models	<b>125</b>
Connection kit for wired remote control ZPPP-FLY – applies to FLY air conditioners	<b>50</b>
Connection kit for wired remote control ZPPP-ONE – applies to ONE air conditioners	<b>130</b>
AHU kit KMS-8140	<b>600</b>
AHU kit KMS-8243	<b>600</b>



# Kaisai products: **caring for the environment**



**HEAT PUMPS**



**AIR HANDLING  
UNITS**



**PHOTOVOLTAIC MODULES  
AND INVERTERS**

**A full range of products based on renewable  
energy sources available on our website**



**kaisai.com**

# Contact data

## For Consumers:

Are you interested in buying our products?

Check the current list of Distributors at: <https://kaisai.com>

---

## For Distributors and Installers:

### HEADQUARTERS

ul. Ostrobramska 101A  
04-041 Warszawa  
22 517 36 00 | 22 879 99 07

### SALES DEPT.

22 465 65 85  
[handlowy@kaisai.com](mailto:handlowy@kaisai.com)

**Do you want to become our Distributor? Call or write to us.**

---

## Klima-Therm Group Academy:

### GDAŃSK DIVISION

ul. Budowlanych 48  
80-298 Gdańsk  
58 768 03 33

### WARSAW DIVISION

ul. Ostrobramska 101A  
04-041 Warszawa  
22 517 36 00

### KATOWICE DIVISION

ul. Chorzowska 108, Budynek B  
40-101 Katowice  
32 209 49 26

**Would you like to obtain an authorization certificate and become our installer?**

Contact us: [handlowy@kaisai.com](mailto:handlowy@kaisai.com)

---

The purchase prices listed in the price list are all net prices in EUR. | The price-list does not constitute an offer within the meaning of Art. 66 of the Commercial Code, while all photos of the products are only examples and are provided for the purpose of presenting the selected models. | The actual products may differ from the ones demonstrated in the pictures. | The products are subject to continuous improvement. Therefore, Kaisai reserves the right to change their prices and technical parameters without prior notice. | The current price list is no longer valid.

This publication is an informational and presentation document for Kaisai air conditioners, air curtains, heat pumps and air handling units. | The technologically advanced production process makes it necessary to continuously monitor and improve it. This is why the information contained in the publication may be subject to change. | The net prices are the catalog prices of the products and do not include discounts or installation costs. | Technical data and prices in the catalog are subject to change. Up-to-date information is always available at [www.kaisai.com](http://www.kaisai.com)

The technical data above is compliant with the guidelines specified in the following standards: EN14511; EN14825; EN50564; EN12102; (EU) No. 811:2013; (EU) No. 813:2013; OJ 2014/C 207/02:2014. The SCOP seasonal heating efficiency was determined for temperate climate conditions.  
The sound power level in the heating mode was determined in accordance with EN 12102, under the conditions consistent with EN 14825;



**[kaisai.com](https://kaisai.com)**